
We offer a Full Range of Hydraulic Products from a comprehensive range of manufacturers for any application to bring you the products and systems most suited to your needs



HYDRAULIC MAST JACK KITS



ALUMINIUM HYDRAULIC MAST JACK KITS

Single and Dual Aluminium Cylinder & Plastic Bodied Hand Pump Kits
Available in 20, 30 and 50 Tonne Cylinder Versions
50, 100 and 150mm Stroke Options
Aluminium Bodies with Hard Coat finish is ideal for Marine Applications
Removable Handles and Steel Base Plate
Composite Bearings on prevent metal-to-metal contact increase Cylinder life
Stainless Steel Extended Saddles and Couplings also available
Ideal for use directly in Mast
Side or Front Facing Angled Gauge Mounting
Aluminium and Stainless Steel Extension for Base or Plungers

STANDARD HYDRAULIC MAST JACK KITS

Dual Cylinder Steel Mast Jack Kits now use new RC DUO Cylinders for extended life Available in 5, 10, 15, 23 and 50 Tonne Cylinder Versions 4 and 6 inch Stroke Options

Baked Enamel Paint Finish for increased Corrosion Resistance
63 and 100mm Dry or Glycerin Filled Gauges with 500, 700 and 1000 BAR Scales
Plastic Bodied Pumps with Aluminium Pump Head are ideal for Marine Environment
Single and Two Speed Pump Options
Internal Relief valve to prevent over-pressuring
All Kits available in Dry and Hard Cases

Aluminium and Stainless Steel Extensions for Rod or Base



PUMP & CYLINDER OPTIONS



MAST KIT OPTIONS

We offer a full range of Hydraulic Cylinders from 5 to 150 Tonne in Painted Steel, Aluminium and Nickel Plated Steel

Plastic, Steel and Aluminium Hand Pump options Single and Two Speed Versions Full Range of Reservoir Size

63 and 100mm Gauge Options with Side or Front Facing user Angled Gauge Blocks

Electric Pumps used with Large Cylinders 700 BAR Electric Pumps with Valve and Pendant



ROD PRESS HYDRAULICS



HYDRAULIC CYLINDERS & PUMPS

A full range of Hydraulic Cylinders and Pumps for any Rod Press

Solid Plunger, Low Height, Double Acting and Hollow Plunger versions upto 100 Tonnes - Aluminium upto 150 Tonnes High Tonnage Cylinders upto 1000 Tonnes

Single and Double Acting Cylinders in Steel and Aluminium Full Range of Strokes for any Press requirements Directly Interchangeable with Holmatro

A complete Range of Hand, Air and Electric Pumps Compact and Portable Electric Pumps in 110 and 240V New Enerpac XVARI High Speed Air Pump PUJ Economy Compact Pumps & ZU High Flow Pumps





MAST JACK KITS

Enerpac Mast Jack Kits upto 50 Tonnes are suppplied in a Plastic Box with Foam Protection Options on Cylinders, Pumps, Gauges and Hoses - Tailor Kits to your needs Stroke Length Options and Rod Saddle or Base Extensions to your requirements

ENERPAC MAST JACK KITS



IN-MAST JACK KITS

20 to 100 Tonne Aluminium Cylinders 4 and 6 inch Stroke Options 100mm Dry 700 BAR Dual Scale Gauges Plastic Bodied Pumps with Aluminium Pump Head Single and Two Speed Pump Options

Special Hoses with Stainless Steel Fittings and Quick Release Couplings available Special Stainless Steel Gauge Blocks and Extended Saddles available, please contactus with your requirements

THROUGH BAR MAST JACK KITS

Available in 10 to 100 Tonne Versions in Steel and Aluminium 4 and 6 inch Stroke Options 100mm Dry 700 BAR Dual Scale Gauges

Plastic Bodied Pumps with Aluminium Pump Head are ideal for Marine Environment Single and Two Speed Pump Options

Part No. Steel Cylinder Kits	Tonnage	Cylinders	Pump Speed	Cylinder Closed Height	Cylinder Stroke	Outside Diameter	Plunger Diameter
MK-ER53/141	10	2x RC53	Single Speed	165	76	38	24.5
MK-ER104/391	20	2x RC104	Single Speed	171	105	57	38.1
MK-ER104/392	20	2x RC104	Two Speed	171	105	57	38.1
MK-ER106/391	20	2x RC106	Single Speed	247	156	57	38.1
MK-ER106/392	20	2x RC106	Two Speed	247	156	57	38.1
MK-ER154/391	30	2x RC154	Single Speed	200	101	69	41.4
MK-ER154/392	30	2x RC154	Two Speed	200	101	69	41.4
MK-ER254/391	50	2x RC254	Single Speed	215	102	85	57.2
MK-ER245/392	50	2x RC254	Two Speed	215	102	85	57.2
MK-ER504/802	100	2x RC504	Two Speed	227	101	127	79.5
Aluminium Cylinder Kits							
MK-EA204/391	40	2x RAC204	Single Speed	224	100	85	50
MK-EA204/392	40	2x RAC204	Two Speed	224	100	85	50
MK-EA304/802	60	2x RAC304	Two Speed	231	100	100	60
MK-EA504/802	100	2x RAC504	Two Speed	236	100	130	80

Part No.	Tonnage	Cylinders	Pump Speed	Cylinder Closed Height		Outside Diameter	Plunger Diameter
MK-EAM204/391	20	RAC204	Single Speed	224	100	85	50
MK-EAM204/392	20	RAC204	Two Speed	224	100	85	50
MK-EAM304/392	30	RAC304	Two Speed	231	100	100	60
MK-EAM504/392	50	RAC504	Two Speed	236	100	130	80
MK-EAM1004/802	100	RAC1004	Two Speed	321	100	180	110



ECONOMY MAST JACK KITS



THROUGH BAR & IN-MAST ECONOMY MAST JACK KITS

Available from 10 to 100 Tonnes Steel Cylinders Supplied with Steel Hand Pumps Aluminium Cylinder Kits supplied with Aluminium Pumps Angled Front Facing 63mm Dual Scale 1000 BAR Gauge

Part No.	Tonnage	Cylinders	Pump Speed	Cylinder Closed Height	Cylinder Stroke	Outside Diameter	Plunger Diameter
EMK-S53-1	10	2x TSS53	Single Speed	165	76	38	24.5
EMK-S104-1	20	2x TSS104	Single Speed	171	105	57	38.1
EMK-S104-2	20	2x TSS104	Two Speed	171	105	57	38.1
EMK-S106-1	20	2x TSS106	Single Speed	247	156	57	38.1
EMK-S106-2	20	2x TSS106	Two Speed	247	156	57	38.1
EMK-S154-1	30	2x TSS154	Single Speed	200	101	69	41.4
EMK-S154-2	30	2x TSS154	Two Speed	200	101	69	41.4
EMK-S254-1	50	2x TSS254	Single Speed	215	102	85	57.2
EMK-S245-2	50	2x TSS254	Two Speed	215	102	85	57.2
Aluminium Mast Kits							
EMK2-AS504	100	2x TSA504	Two Speed	236	100	130	80
In-Mast Aluminium Kits		22					
EMK-AS504-2	50	TSA504	Two Speed	236	100	130	80
EMK-AS1004-2	100	TSA1004	Two Speed	321	100	180	110

SPECIAL MAST JACK KITS

SPECIAL MAST JACK KITS

Large Jack Kits upto 400 Tonnes using 4x 100 Tonne Cylinders
High Tonnage Cylinders upto 1000 Tonnes each
Electric Pump Options for Large Kits - Pendant Control for easy operation

Special Aluminium and Stainless Steel Cylinder Options made to order with any Stroke or Mounting Please Contact us with your requirement



HYDRAULIC CUTTERS

HYDRAULIC CUTTERS

Hydraulic Guillotine Cutters ideal for Cutting Rigging
Manual Cutters with Integral Pump Unit offers a neat Self-Contained Tool
Cutter Heads for use with external Hand, Foot, Air or Electric Pumps
3, 4, 6, 8 13 and 20 Tonne Models for any Cutting Application
Will Cut Steel Cable and Rod upto 20mm and Reinforcing Rod to 20mm

C Frame and Scissor Cutters in Self-Contained and Remote Head Versions C Frame Cutters in 6, 15 and 35 Tonne for cutting Steel Cable & Bar upto 30mm Diameter Remote Scissor Cutter Heads upto 7 Tonnes

Self-Contained Battery Powered Cutters in 7, 8 and 12 Tonne Versions To cut Steel Cable and Bar upto 22mm and Reinforcing Rod to 19mm Units Supplied with Battery and Charger in Plastic Carry Case for maximum portability

We are currently working on special cutters to cut High Tensile 25 and 50mm Stainless Steel Rod - Please Contact us with your requirements

Manual Models	Cutting Capactity (Diameter in mm)					
	Tonnage	BAR	WIRE	REINFORCED ROD		
WMC750	4	17	19	13		
WMC1250	19	28	31	22		
WMC2000	12	31	50	99		
TM66-200	6	16	21	13		
TM84-240	8	20	24	16		
TM194-320	19	25	32	25		
TM55-400	5	20	25	16		
TM124-550	12	22	30	20		
Remote Models	2		0.	- R		
WHC750	4	17	19	-		
WHC1250	19	28	31	22		
WHC2000	12	31	50	2		
TM44-20A	4	16	21	13		
TM86-24	8	20	24	16		
TM250-32	25	25	32	25		
TM68-40A	7	20	25	16		
TM118-55A	11	22	30	20		
Manual C Frame						
TML16CK	13	19	19	13		
Remote C Frame						
TML116CK	13	19	19	13		
TML130CK	39	30	30	20		
TML250CK	112	50	50	40		





COMPRESSION TOOLS

We also offer a Full Range of Manual, Remote and Battery Powered Compression Tools Ideal for Crimping Ends onto Cables and Rigging U type Die Compression Tools upto 12 Tonnes, Dieless Tools upto 6 Tonnes Fixed Heavy Duty Compression Tools upto 190 Tonnes



HYDRAULIC NUT SPLITTERS

NUT SPLITTERS

We offer a full range of Nut Splitters from many manufacturers
Ideal for removing Corroded Bolts for Vessel Mainenance
10-19mm upto 60-75mm Hexagon Nut Ranges
Heavy Duty Chisels can be reground
Can be used with any Hand, Foot, Air or Electric Pump
Standard Quick Release Coupling
Available in Complete Sets with Pump, Hose and Gauge

C Frame Open Nut Splitter Head
Enerpac NS Splitter with Tri-Blade Technology - 3 cutting surfaces on a single blade
Nickel Plated Bodies for Corrosion Protection





HYDRAULIC TORQUE WRENCHES



HYDRAULIC TORQUE WRENCHES

Aluminium & Heavy Duty Steel Torque Wrenches Square Drives in 3/4, 1, 1 & 1/2 and 2 & 1/2 Inches Full Range of Sockets Metric & Imperial Sizes Sockets from 15 to 255mm or 5/8 to 10 Inch Torque Ranges from 1,900 to 34,000 Nm

Low Profile Hexagon Wrenches for Nuts from 30 - 155mm Torque Ranges from 2,700 to 20,000 Nm Nickel Plated for excellent Corrosion Resistance

Manual Torque Multipliers for upto 10,000 Nm

Full Range of Torque Wrench Pumps
110 and 240V Motor Options
Compact Portable and Heavy Duty High Cycle Electric Pumps
Adjustable Relief Valves for accurate Adjustments & Repeatability
Pendant Control, Solenoid Valve & Pressure Transducer Options
Skid Bar and Roll Frame Versions for Stability and Portability
Twin Hose Assemblies in Made-to-Order Lengths - 1000 BAR Quick Release Couplings

Ideal for Vessel Maintenance and Build



MANUAL TORQUE TOOLS



MANUAL TORQUE WRENCH AND TORQUE MULTIPLIERS

High Quality Heavy Duty Torque Wrenches for upto 1500 Nm
High efficieny planetary gear sets achieve high output from low input torques

3/8" to 1" Square Drive Wrenches
Reaction Bar Multipliers upto 4,000 Nm
Reaction Plate upto 11,000 Nm
+/- 5% Accuracy
Reversable for Tightening or Loosening

Air Operated Low Impact Torque Multipliers Smooth tightening without impacting or pulsing Powerful Reversable Air Motor for Torques upto 9500 Nm



GENERAL MAINTENANCE

ENERPAC 2

HYDRAULIC PRESSES

Hydraulic Presses for any Application 10 Tonne Bench Presses Free Standing 25, 50 and 100 Tonne Frames Supplied complete with all Hydraulics

HYDRAULIC JACKS

2 to 150 Ton Jacks for all Lifting Applications Steel and Aluminium Versions Telescopic and Threaded Extension Toe Lift and Air Powered Jacks

HYDRAULIC PUMPS

Hand, Air and Electric Pumps Compact Portable Pumps - 110 & 240 V Motor Options For use with any 700 BAR Cylinders

High Speed XVARI Air Pumps Single & Double Acting Flow Rates upto 2 LPM

STAINLESS STEEL HYDRAULICS

STAINLESS STEEL HYDRAULIC CYLINDERS

Stainless Cylinders - 304 and 316 Stainless for any Application Ideal for Marine Applications for Maximum Corrosion Protection Made-to-Order Cylinder in any Configuration

Any Mountings in Stainless Steel - Flange, Clevis, Spherical Eye, Pin etc.

STAINLESS STEEL HYDRAULIC VALVES

Full Range of 316 Stainless Steel Valves for any application Pressure, Flow and Directional Control upto 10,000 PSI (700 BAR)

Stainless Steel Accessories including Hose Ends, Fittings and Couplings

